

# **TOWNSHIP OF UNION PUBLIC SCHOOLS**



## **UHS – Algebra II**

**Adopted June 20, 2017**

**Updated December 18, 2018**

## **Mission Statement**

The mission of the Township of Union Public Schools is to build on the foundations of honesty, excellence, integrity, strong family, and community partnerships. We promote a supportive learning environment where every student is challenged, inspired, empowered, and respected as diverse learners. Through cultivation of students' intellectual curiosity, skills and knowledge, our students can achieve academically and socially, and contribute as responsible and productive citizens of our global community.

## **Philosophy Statement**

The Township of Union Public School District, as a societal agency, reflects democratic ideals and concepts through its educational practices. It is the belief of the Board of Education that a primary function of the Township of Union Public School System is to formulate a learning climate conducive to the needs of all students in general, providing therein for individual differences. The school operates as a partner with the home and community.

## **Course Description**

Algebra II is an extension of the Algebra 1 curriculum. Topics that were first introduced in Algebra 1 will be built upon and applied to problems that require higher order thinking skills. Additional topics will also be presented in a variety of methods, including self-discovery activities, group project and presentations, and teacher-led class discussions. Algebra 2 builds a foundation of mathematics for those students going on to Pre-Calculus and/or students who are college bound. Along with many colleges, a majority of careers require a successful completion of an Algebra 2 course. Fundamental skills of mathematics will be applied to such topics as functions, equations and inequalities, probability and statistics, logarithmic and exponential relationships, quadratic and polynomial equations, and matrices. Technology will be used to introduce and expand upon the areas of study listed above. Use of computers and graphing calculators will be incorporated into each unit.

**Recommended Program:**  
**Agile Mind – Algebra II**

Unit 1: Complex Solutions and Modeling with Rational Exponents

Unit 2: Polynomials and Analysis of Nonlinear Functions

Unit 3: Periodic Models and the Unit Circle

Unit 4: Making Inference, Justifying Conclusion and Conditional Probability

## I. Unit Standards Overview

Overview	Standards for Mathematical Content		Unit Focus	Standards for Mathematical Practice
<b>Unit 1</b>  <b>Complex Solutions and Modeling with Rational Exponents</b>	<ul style="list-style-type: none"> <li>○ N.CN.A.1</li> <li>○ N.CN.A.2</li> <li>○ N.CN.C.7</li> <li>□ A.REI.B.4</li> <li>○ A.REI.C.7</li> <li>○ A.REI.C.6</li> <li>■ F.BF.A.2</li> <li>□ F.LE.A.2</li> </ul>	<ul style="list-style-type: none"> <li>○ F.LE.B.5</li> <li>■ A.SSE.B.4</li> <li>■ N.RN.A.1</li> <li>■ N.RN.A.2</li> <li>■ A.SSE.B.3</li> <li>□ F.IF.C.8</li> <li>□ F.LE.A.4</li> </ul>	<ul style="list-style-type: none"> <li>• Perform arithmetic operations with complex numbers</li> <li>• Use complex numbers in polynomial identities and equations</li> <li>• Build a function that models a relationship between two quantities</li> <li>• Construct &amp; compare linear, quadratic, &amp; exponential models</li> <li>• Write expressions in equivalent forms to solve problems</li> <li>• Extend the properties of exponents to rational exponents</li> <li>• Analyze functions using different representations</li> </ul>	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p>
<b>Unit 1:</b>  <b>Suggested Open Educational Resources</b>	<p><a href="#">N.CN.A.1 Complex number patterns</a></p> <p><a href="#">N.CN.A.2 Powers of a complex number</a></p> <p><a href="#">N.CN.C.7, A.REI.B.4b Completing the square</a></p> <p><a href="#">A.REI.C.7 Linear and Quadratic System</a></p> <p><a href="#">A.REI.C.6 Pairs of Whole Numbers</a></p> <p><a href="#">F.BF.A.2 Snake on a Plane</a></p> <p><a href="#">F.LE.A.2 Rumors</a></p>		<p><a href="#">F.LE.B.5, F.LE.A.2 Exponential Parameters</a></p> <p><a href="#">A.SSE.B.4 Course of Antibiotics</a></p> <p><a href="#">N.RN.A.1 Evaluating Exponential Expressions</a></p> <p><a href="#">N.RN.A.2 Rational or Irrational?</a></p> <p><a href="#">A.SSE.B.3c Forms of exponential expressions</a></p> <p><a href="#">F.IF.C.8b Carbon 14 dating in practice I</a></p> <p><a href="#">F.LE.A.4 Carbon 14 dating</a></p>	<p>MP.3 Construct viable arguments &amp; critique the reasoning of others.</p> <p>MP.4 Model with mathematics.</p>
<b>Unit 2</b>  <b>Polynomials and Analysis of Nonlinear</b>	<ul style="list-style-type: none"> <li>■ A.APR.B.2</li> <li>■ A.SSE.A.2</li> <li>■ A.APR.B.3</li> <li>□ F.IF.C.7</li> <li>○ A.APR.C.4</li> <li>□ A.APR.D.6</li> <li>■ A.REI.A.1</li> </ul>	<ul style="list-style-type: none"> <li>■ A.REI.A.2</li> <li>□ A.CED.A.1</li> <li>■ F.IF.B.4</li> <li>■ F.IF.B.6</li> <li>○ G.GPE.A.2</li> <li>□ F.IF.C.7</li> <li>■ A.REI.D.11</li> </ul>	<ul style="list-style-type: none"> <li>• Understand the relationship between zeros and factors of polynomials</li> <li>• Interpret the structure of expressions</li> <li>• Use polynomial identities to solve problems</li> <li>• Analyze functions using different representations</li> <li>• Rewrite rational expressions</li> <li>• Understand solving equations as a process of reasoning and explain the reasoning</li> </ul>	<p>MP.5 Use appropriate tools strategically.</p>

<p><b>Functions</b></p>			<ul style="list-style-type: none"> <li>• Interpret functions in terms of the context</li> <li>• Translate between the geometric description and the equation for a conic section</li> <li>• Represent and solve equations and inequalities graphically</li> </ul>	<p>MP.6 Attend to precision.</p>
<p><i>Unit 2:</i>  <i>Suggested Open Educational Resources</i></p>	<p><a href="#">A.APR.B.2 The Missing Coefficient</a></p> <p><a href="#">A.SSE.A.2 A Cubic Identity</a></p> <p><a href="#">A.APR.B.3 Graphing from Factors III</a></p> <p><a href="#">F.IF.C.7c Graphs of Power Functions</a></p> <p><a href="#">A.APR.C.4 Trina’s Triangles</a></p> <p><a href="#">A.APR.D.6 Combined Fuel Efficiency</a></p> <p><a href="#">A.REI.A.1 Products and Reciprocals</a></p>		<p><a href="#">A.REI.A.2 Radical Equations</a></p> <p><a href="#">A.REI.A.2, A.CED.A.1 An Extraneous Solution</a></p> <p><a href="#">G.GPE.A.2 Defining Parabolas Geometrically</a></p> <p><a href="#">F.IF.C.7e Logistic Growth Model</a></p> <p><a href="#">A.REI.D.11 Ideal Gas Law</a></p>	<p>MP.7 Look for and make use of structure.</p> <p>MP.8 Look for and express regularity in repeated reasoning.</p>
<p><u>Unit 3</u></p> <p><b>Periodic Models and the Unit Circle</b></p>	<ul style="list-style-type: none"> <li>● F.TF.A.1</li> <li>● F.TF.A.2</li> <li>■ F.IF.C.7</li> <li>■ F.IF.B.4</li> <li>● F.TF.B.5</li> <li>● F.TF.C.8</li> </ul>	<ul style="list-style-type: none"> <li>■ S.ID.B.6</li> <li>■ F.IF.C.9</li> <li>■ F.BF.A.1</li> <li>■ N.Q.A.2</li> <li>● F.BF.B.3</li> <li>● F.BF.B.4</li> </ul>	<ul style="list-style-type: none"> <li>• Extend the domain of trigonometric functions using the unit circle</li> <li>• Analyze functions using different representations</li> <li>• Interpret functions that arise in applications in terms of the context</li> <li>• Model periodic phenomena with trigonometric functions</li> <li>• Prove and apply trigonometric identities</li> <li>• Summarize, represent, and interpret data on two categorical and quantitative variables</li> <li>• Build a function that models a relationship between two quantities</li> <li>• Build new functions from existing functions</li> </ul>	<p>MP.1 Make sense of problems and persevere in solving them.</p>
<p><i>Unit 3:</i>  <i>Suggested Open Educational Resources</i></p>	<p><a href="#">F.TF.A.1 Bicycle Wheel</a></p> <p><a href="#">F.TF.A.2 What exactly is a radian?</a></p> <p><a href="#">F.TF.A.2 Trigonometric functions for arbitrary angles (radians)</a></p> <p><a href="#">F.TF.A.2 Trig Functions and the Unit Circle</a></p> <p><a href="#">F.IF.B.4, F.IF.C.7e Model air plane acrobatics</a></p>		<p><a href="#">F.IF.C.9 Throwing Baseballs</a></p> <p><a href="#">F.BF.A.1b A Sum of Functions</a></p> <p><a href="#">F.BF.B.3 Exploring Sinusoidal Functions</a></p> <p><a href="#">F.BF.B.3 Transforming the graph of a function</a></p> <p><a href="#">F.BF.B.4a Temperatures in degrees Fahrenheit and Celsius</a></p>	<p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments &amp; critique the reasoning of others.</p>

	<a href="#">E.TF.B.5 As the Wheel Turns</a>  <a href="#">E.TF.C.8 Trigonometric Ratios and the Pythagorean Theorem</a>			MP.4 Model with mathematics.
<b>Unit 4</b>  <b>Making Inference, Justifying Conclusion and Conditional Probability</b>	<ul style="list-style-type: none"> <li><span style="color: yellow;">●</span> S.ID.A.4</li> <li><span style="color: green;">■</span> S.IC.A.1</li> <li><span style="color: green;">■</span> S.IC.A.2</li> <li><span style="color: green;">■</span> S.IC.B.3</li> <li><span style="color: green;">■</span> S.IC.B.4</li> <li><span style="color: green;">■</span> S.IC.B.5</li> <li><span style="color: green;">■</span> S.IC.B.6</li> </ul>	<ul style="list-style-type: none"> <li><span style="color: yellow;">●</span> S.CP.A.1</li> <li><span style="color: yellow;">●</span> S.CP.A.2</li> <li><span style="color: yellow;">●</span> S.CP.A.3</li> <li><span style="color: yellow;">●</span> S.CP.A.4</li> <li><span style="color: yellow;">●</span> S.CP.A.5</li> <li><span style="color: yellow;">●</span> S.CP.B.6</li> <li><span style="color: yellow;">●</span> S.CP.B.7</li> </ul>	<ul style="list-style-type: none"> <li>• Summarize, represent, and interpret data on a single count or measurement variable</li> <li>• Understand and evaluate random processes underlying statistical experiments</li> <li>• Make inferences and justify conclusions from sample surveys, experiments and observational studies</li> <li>• Understand the independence and conditional probability and use them to interpret data</li> <li>• Use the rules of probability to compute probabilities of compound events in a uniform probability model</li> </ul>	MP.5 Use appropriate tools strategically.  MP.6 Attend to precision.
<b>Unit 4:</b>  <b>Suggested Open Educational Resources</b>	<a href="#">S.ID.A.4 Do You Fit in This Car?</a>  <a href="#">S.IC.A.1 School Advisory Panel</a>  <a href="#">S.IC.A.2 Sarah, the chimpanzee</a>  <a href="#">S.IC.B.3 Strict Parents</a>  <a href="#">S.IC.B.4 Margin of Error for Estimating a Population Mean</a>		<a href="#">S.CP.A.1 Describing Events</a>  <a href="#">S.CP.A.2 Cards and Independence</a>  <a href="#">S.CP.A.3 Lucky Envelopes</a>  <a href="#">S.CP.A.4 Two-Way Tables and Probability</a>  <a href="#">S.CP.A.5 Breakfast Before School</a>  <a href="#">S.CP.B.6 The Titanic 1</a>  <a href="#">S.CP.B.7 The Addition Rule</a>  <a href="#">S.CP.B.7 Rain and Lightning</a>	MP.7 Look for and make use of structure.  MP.8 Look for and express regularity in repeated reasoning.

## II. Units

## Unit 1

Unit 1 Algebra 2			
Content & Practice Standards	SMP	Critical Knowledge & Skills	Standard Mastery Examples
<p><b>N.CN.A.1.</b> Know there is a complex number <math>i</math> such that <math>i^2 = -1</math>, and every complex number has the form <math>a+bi</math> with <math>a</math> and <math>b</math> real</p> <p><b>N.CN.A.2</b> Use the relation <math>i^2 = -1</math> and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.</p>	6, 7	<p>Concepts:</p> <p>Complex number <math>i</math> is defined such that <math>i^2 = -1</math></p> <p>Every complex number has the form <math>a+bi</math> with <math>a</math> and <math>b</math> real.</p> <p>Students are able to:</p> <p><math>i^2</math> and the commutative, associative properties to add and subtract complex numbers are to be used.</p> <p>determine that <math>i^2 = -1</math> and the commutative, associative and distributive properties to multiply complex numbers</p> <p>Goal:</p> <p>Add, subtract, and multiply complex numbers using the commutative, associative and distributive properties.</p>	<p>Can be used on formative, summative, benchmark, and alternative assessments.</p> <p>Simplify the square root of <math>-18</math>  Simplify <math>(2+i)+(-3+3i)</math>  Simplify <math>(-6-2i)-(4+2i)</math></p>
<p><b>N.CN.C.7.</b> Solve quadratic equations with real coefficients that have complex solutions.</p> <p><b>A.REI.B.4.</b> Solve quadratic equations in one variable.</p>	5, 7	<p>Concepts:</p> <p>As with real solutions, complex solutions to quadratic equations may be determined by taking square roots, factoring, and completing the square</p>	<p>Factor <math>x^2 + 3x + 2</math>  Complete the square <math>x^2 + 2x - 33 = 0</math>  A model rocket is launched with an initial velocity of <math>2000\text{ft/s}</math>. The height in</p>



<p><b>A.REI.B.4b.</b> Solve quadratic equations by inspection, taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as <math>a + - bi</math> for real numbers <math>a</math> and <math>b</math>.</p>		<p>Students are able to:</p> <ul style="list-style-type: none"> <li>solve quadratic equations in one variable that have complex solutions by taking square roots</li> <li>solve a quadratic equation in one variable that has complex solutions by completing the square</li> <li>solve a quadratic equation in one variable that has complex solutions by factoring</li> <li>write complex solutions in <math>a + - bi</math> form</li> </ul> <p>Goal:</p> <p>Solve quadratic equations with real coefficients that have complex solutions by taking square roots, completing the square and factoring</p>	<p>feet of the rocket after <math>t</math> seconds after the launch is given by <math>h = -16t^2 + 200t</math>. How many seconds after the launch will the rocket be 3300 ft above the ground?</p>
<p><b>A.REI.C.7</b> Solve a simple system consisting of a linear equation and a quadratic equation and a quadratic equation in two variables algebraically and graphically.</p>	1	<p>Concepts:</p> <p>Solutions of linear systems contain different function types.</p> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>solve a system containing one linear equation and one quadratic equation algebraically</li> <li>graph a system containing one linear equation and one quadratic equation to determine a solution</li> </ul> <p>Goal:</p> <p>Solve simple systems consisting of a linear and quadratic equation in two variables algebraically and graphically</p>	<p>Find the solution to the following system by substitution</p> $y - 2x = -x^2 - 4$ $y + 2x = -1$ <p>Find the solution to the following by elimination</p> $y = -x - 7$ $y = x^2 - 4x - 5$ <p>Graph the following system and using the graphing calculator indicate the number of solutions and what the solutions are for the following system</p> $y = x^2 + 1$ $y = x + 1$ <p>Functions <math>f</math> and <math>g</math> are defined as <math>f(x) = 1/2x</math> and <math>g(x) = x^2</math>. If the graphs of <math>f</math> and <math>g</math> intersect at <math>P</math>, find the <math>x</math>-coordinate of point <math>P</math>.</p> <p>Let <math>f(x) = ax^2</math> where <math>a &gt; 0</math>, and</p>

			$g(x)=mx+b$ where $m>0$ and $b<0$ . The equation $f(x)=g(x)$ has $n$ distinct solution(s). What are the possible values of $n$ ?
<b>A.REI.C.6</b> Solve systems of linear equations exactly and approximately with graphs, focusing on pairs of linear equations in two variables.	1, 7	<p>Concepts: Solving a system of linear equations containing <math>n</math> variables requires <math>n</math> equations.</p> <p>Students are able to: use the substitution method and/or elimination method to find the solution of a system containing 3 linear equations</p> <p>Goal: Solve algebraically a system of 3 linear equations</p>	<p>Solve the following system of 3 equations</p> $x+y+z=6$ $2x-y+3z=9$ $-x+2y+2z=9$ <p>Marina had 24,500 to invest. She divided the money into 3 accounts. At the end of the year, she made 1300 interest. The annual yield on each of the accounts was 4%, 5.5% and 6%. If the amount of money in the 4% account was 4 times the amount in the 5.5% account, how much had she placed in each account?</p>
<p><b>F.BF.A.2</b> Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the 2 forms.</p> <p><b>F.LE.A.2</b> Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or 2 input-output pairs.</p> <p><b>F.LE.B.5.</b> Interpret the parameters in a linear or exponential function in terms of a context.</p>	1, 2, 4, 6, 7, 8	<p>Concepts: Recursion</p> <p>Students are able to: distinguish between recursive and explicit formulas represent geometric and arithmetic sequences recursively represent geometric and arithmetic sequences with explicit formulas translate between recursive form and explicit form of geometric and arithmetic sequences recognize explicit formula for geometric sequences as exponential functions containing a</p>	<p>After knee surgery, your trainer tells you to return to your jogging program slowly. He suggests jogging for 12 minutes each day for the first week. Each week thereafter, he suggests that you increase that time by 6 minutes per day. How many weeks will it be before you are up to jogging 60 minutes per day?</p> <p>A culture of bacteria doubles every 2 hours. If there are 500 bacteria at the beginning, how many bacteria will there be after 24 hours?</p>

		<p>domain in the integers only</p> <p>interpret the parameters of an exponential function representing a geometric sequence</p> <p>interpret the parameters of a linear function representing an arithmetic sequence</p> <p>Goal: Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.</p>	
<b>A.SSE.B.4</b> Derive and/or explain the derivation of the formula for the sum of a finite geometric series and use the formula to solve problems.	1, 7	<p>Concepts:</p> <p>Series as a sum of a sequence</p> <p>Students are able to:</p> <p>derive or explain the derivation of the formula for the sum of a finite geometric series</p> <p>use the formula for the sum of a finite geometric series to solve problems</p> <p>Goal:</p> <p>Use the formula for the sum of a finite geometric series to solve problems like mortgage payments.</p>	Calculate a mortgage payment.
<b>A.APR.C.4</b> Prove polynomial identities and use them to describe numerical relationships.	3, 7	<p>Concepts:</p> <p>Polynomial identities can be used to describe numerical relationships.</p> <p>show the polynomial identity which can be used to generate Pythagorean triples.</p> <p>prove polynomial identities</p>	Generate a pythagorean triple using $(x^2+y^2)^2=(x^2-y^2)^2+(2xy)^2$

		<p>Goal:</p> <p>Use polynomial identities to describe numerical relationships and prove polynomial identities.</p>	
<p><b>A.REI.D.11</b> Explain why the <math>x</math>-coordinates of the points where the graphs of the equations <math>y = f(x)</math> and <math>y=g(x)</math> intersect are the solutions of the equation <math>f(x)=g(x)</math>; find the solutions approximately using technology to graph the functions, make tables of values, or find successive approximations. Include cases where <math>f(x)</math> and/or <math>g(x)</math> are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.</p>	1, 5	<p>Concepts:</p> <p>Solutions to complex systems of nonlinear functions can be approximated graphically</p> <p>Students are able to:</p> <p>find the solution to <math>f(x)=g(x)</math> using graphing technology in cases of linear, polynomial, rational, absolute value, exponential and logarithmic functions</p> <p>find the solution to <math>f(x)=g(x)</math> by making tables of values or find successive approximations in linear, polynomial, rational, absolute value, exponential and logarithmic cases.</p> <p>Goal:</p> <p>Find approximate solutions for <math>f(x)=g(x)</math> using technology to graph, make tables of values, or find successive approximations. Include cases where the functions are linear, polynomial, rational, absolute value, logarithmic and exponential.</p>	<p>Use a graphing calculator to solve <math>f(x)=g(x)</math>, where <math>f(x)= 3x^2 +5x -3</math> and <math>g(x)= \log x</math></p>
<p><b>F.BF.B3.</b> Identify the effect on the graph of <math>f(x)</math> by replacing with <math>f(x)+k</math>, <math>kf(x)</math>, <math>f(kx)</math> and <math>f(x+k)</math> for specific values of <math>k</math>; find the value of <math>k</math> given the graphs. Experiment with cases and illustrate an explain effects on the graph using technology. Include even and odd functions.</p>	3, 5, 7, 8	<p>Concepts:</p> <p>Function notation representations of transformations</p> <p>Students will be able to:</p> <p>perform transformations on graphs of polynomial, exponential, logarithmic or</p>	<p>Let <math>f(x)= x^2</math>. Describe and graph the transformations, <math>f(x+5)</math>, <math>f(x)-9</math>, <math>8f(x)</math> and <math>f(3x)</math>. Use a graphing calculator to check your results.</p> <p>If <math>g(x)= \log x</math>, write a new equation that represents a transformation of the graph</p>

		<p>trigonometric functions</p> <p>identify horizontal and vertical shifts and horizontal and vertical stretches and shrinks</p> <p>identify the effect on the graph of combinations of transformations</p> <p>given the graph find the value of the constant that transformed it</p> <p>illustrate an explanation of the effects on polynomial, exponential, logarithmic or trigonometric graphs using technology</p> <p>Goal:</p> <p>identify the effect on the graph of an exponential, polynomial, logarithmic or trigonometric function by replacing <math>f(x)</math> with <math>f(x)+k</math>, <math>kf(x)</math>, <math>f(x+k)</math> or <math>f(kx)</math> with positive and negative values of <math>k</math>. Find the value of <math>k</math> given graphs and identify even and odd functions from graphs and equations</p>	<p>of <math>g(x)</math> 3 down and 7 to the right.</p>
<p><b>F.BF.A.1</b> Write a function that describes a relationship between 2 quantities.</p> <p><b>F.BF.A.1b.</b> Combine standard function types using arithmetic operations.</p> <p><b>N.Q.A.2</b> Define appropriate quantities for the purpose of descriptive modeling</p>	<p>4, 7</p>	<p>Concepts:</p> <p>Functions of various types can be combined to model real world situations.</p> <p>Students will be able to:</p> <p>use arithmetic operations to combine functions of varying types in order to model realities</p> <p>Goal:</p> <p>Construct a function that combines, using arithmetic operations, standard function types to</p>	<p>Build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</p>

		model a relationship between 2 quantities	
--	--	---	--

Unit 1 Vocabulary		
dependent system equivalent systems independent system linear system system of equations solution of a system of equations axis of symmetry complex number discriminant	parabola Quadratic Formula quadratic function standard form vertex form zero of a function arithmetic sequence arithmetic series common difference	explicit formula geometric sequence geometric series limits recursive formula imaginary number converge diverge greatest common factor common ratio

### **Suggested Activities/Modifications**

Below is a list of suggested activities, modifications, accommodations, and enrichment opportunities. This includes, but is not limited to,:

1. Activities
  - a. See Unit 1 ***Suggested Open Educational Resources***
  - b. Two quizzes/Two Tests
  - c. Desmos [www.desmos.com](http://www.desmos.com)
  - d. Open Middle Problems <http://www.openmiddle.com/>
2. English Language Learners.
  - a. Read written instructions
  - b. Students may be provided with note organizers/study guides to reinforce key topics.
  - c. Model and provide examples
  - d. Extended time on assessments when needed.
  - e. Establish a non-verbal cue to redirect student when not on task.
  - f. Students may use a bilingual dictionary.
  - g. Pair Visual Prompts with Verbal Presentations
  - h. Highlight Key Words & Formulas
3. Special Education/504 Students.
  - a. Students may be provided with note organizers / study guides to reinforce key topics.
  - b. Extended time on assessments when needed.

- c. Preferred seating to be determined by student and teacher.
  - d. Provide modified assessments when necessary.
  - e. Student may complete assessments in alternate setting when requested.
  - f. Establish a non-verbal cue to redirect student when not on task.
  - g. Maintain strong teacher / parent communication.
  - h. Repetition and practice
  - i. Pair Visual Prompts with Verbal Presentations
  - j. Provide Formulas
  - k. Check Use of Agenda
4. Gifted and Talented Students.
- a. Use of Higher Level Questioning Techniques
  - b. Extension/Challenge Questions
  - c. Provide Assessments at a Higher Level of Thinking
  - d. Desmos Modeling Activities - <https://teacher.desmos.com/modeling>

### **New Jersey Student Learning Standards - Technology**

8.1.8.A.5 - Select and use appropriate tools and digital resources to accomplish a variety of tasks and to solve problems.

- Students will be encouraged to use calculators and other technology to validate solutions found using “pencil and paper”, particularly when manipulating expressions with rational exponents.

[http:// www.mrperezonlinemathtutor.com/A2/4\\_2\\_Radicals\\_Rational\\_Exponents.html](http://www.mrperezonlinemathtutor.com/A2/4_2_Radicals_Rational_Exponents.html)

- The above link is a good resource for students to use when simplifying rational expressions.

<http://mathforum.org/johnandbetty/frame.htm>

- The above link is a “story book” that explains how numbers can be created to represent quantities that are not necessarily tangible. Applications of complex numbers are then described.

<http://www.ddewey.net/mandelbrot/>

- The above link makes a connection between complex numbers and fractal geometry. The Mandelbrot Set is briefly illustrated.

### **Career Readiness Practices**

CRP1. Act as a responsible and contributing citizen and employee.

- CRP2. Apply appropriate academic and technical skills.
- CRP4. Communicate clearly and effectively and with reason.
- CRP6. Demonstrate creativity and innovation.
- CRP8. Utilize critical thinking to make sense of problems and persevere in solving them.
- CRP9. Model integrity, ethical leadership and effective management.
- CRP11. Use technology to enhance productivity.

**9.2 Career Awareness, Exploration, and Preparation Content Area: 21<sup>st</sup> Century Life and Careers Strand C: Career Preparation**

- 9.2.8.B.3 Evaluate communication, collaboration, and leadership skills that can be developed through school, home, work, and extracurricular activities for use in a career.
- 9.2.8.B.4 Evaluate how traditional and nontraditional careers have evolved regionally, nationally, and globally.
- 9.2.8.B.7 Evaluate the impact of online activities and social media on employer decisions.

**Career & Technical Education Content Area: 21<sup>st</sup> Century Life and Careers Standards**

- 9.3.ST.2 Use technology to acquire, manipulate, analyze and report data.
- 9.3.ST-SM.4 Apply critical thinking skills to review information, explain statistical analysis, and to translate, interpret and summarize research and statistical data.
- 9.3.ST-SM.3 Analyze the impact that science and mathematics has on society.

**Interdisciplinary Connections:** Students will learn that complex numbers are widely used in the fields of physics and engineering, as well as in advanced mathematics. Students will learn the history of complex numbers, as well as the connections between complex numbers and fractal geometry, which appears in both art and nature.

**Media Literacy:** Students will use rational exponents to model exponential growth and decay. Students will be asked to find examples of growth and decay in the media.

**Global Perspectives:** Students will investigate the simultaneous development of number systems in different cultures and regions.



## Unit 2

Unit 2 Algebra 2			
Content & Practice Standards	SMP	Critical Knowledge & Skills	Standard Mastery Examples
			Can be used on formative, summative, benchmark, and alternative assessments.
<b>A.APR.B.2.</b> Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number $a$ , the remainder on division by $x - a$ is $p(a)$ , so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$ .	6	<p>Concepts:</p> <ul style="list-style-type: none"> <li>Polynomial division: For a polynomial <math>p(x)</math> and a number <math>a</math>:           <ul style="list-style-type: none"> <li><math>p(a) = 0</math> if and only if <math>(x - a)</math> is a factor of <math>p(x)</math></li> <li><math>(x - a)</math> is a factor of <math>p(x)</math> if and only if <math>p(a) = 0</math></li> </ul> </li> </ul> <p>Students are able to use the Remainder Theorem to determine factors of a polynomial.</p> <p>Learning Goal 1: Apply the Remainder Theorem in order to determine the factors of a polynomial.</p>	<p>1) Use the Remainder Theorem to determine if <math>x + 1</math> is a factor of <math>x^3 - x^2 - 2x</math>.</p> <p>2) You want to buy carpeting for a rectangular room. If the area of the room is <math>x^2 - 13x + 36</math>, what could be possible binomial dimensions of the room?</p>
<p><b>A.SSE.A.2.</b> Use the structure of an expression to identify ways to rewrite it. For example, see <math>x^4 - y^4</math> as <math>(x^2)^2 - (y^2)^2</math>, thus recognizing it as a difference of squares that can be factored as <math>(x^2 - y^2)(x^2 + y^2)</math>.</p> <p><b>A.APR.B.3.</b> Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.</p>	7	<p>Concepts:</p> <ul style="list-style-type: none"> <li>Factors of polynomials can be used to identify zeros to be used to develop a rough graph of the polynomial function.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>factor polynomials.</li> <li>analyze a table of values to determine where the polynomial is increasing and decreasing.</li> <li>use the zeros of the polynomial to create rough graph.</li> </ul> <p>Learning Goal 2: Use an appropriate factoring technique to factor polynomials. Explain the relationship between zeros and factors of polynomials, and use the zeros to construct a rough graph of the function defined by the polynomial.</p>	Write an equation for a polynomial function with three turning points and end behavior up and up.
<b>F.IF.C.7.</b> Graph functions expressed symbolically and show key features of the graph, by hand	1, 5, 6	<p>Concepts:</p> <ul style="list-style-type: none"> <li>Factors of polynomials can be used to identify zeros to be used to develop a rough graph of the polynomial function.</li> </ul>	Write a polynomial function with 3 zeros, one zero of 1 and another zero with multiplicity of 2.

<p>in simple cases and using technology for more complicated cases.</p> <p><b>F.IF.C.7c.</b> Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.</p>		<p>Students are able to:</p> <ul style="list-style-type: none"> <li>graph a polynomial function given its equation.</li> <li>identify zeros from the graph and using an appropriate factoring technique.</li> <li>show key features of the graph, including end behavior.</li> <li>use technology to graph and describe key features of the graph for complicated cases.</li> </ul> <p>Learning Goal 3: Graph polynomial functions from equations; identify zeros when suitable factorizations are available; show key features and end behavior.</p>	
<p><b>A.APR.C.4.</b> Prove polynomial identities and use them to describe numerical relationships. <i>For example, the difference of two squares; the sum and difference of two cubes; the polynomial identity <math>(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2</math> can be used to generate Pythagorean triples.</i></p>	3, 7	<p>Concepts:</p> <ul style="list-style-type: none"> <li>Polynomial identities can be used to describe numerical relationships.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>show that the polynomial identity <math>(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2</math> can be used to generate Pythagorean triples.</li> <li>prove polynomial identities.</li> </ul> <p>Learning Goal 4: Use polynomial identities to describe numerical relationships and prove polynomial identities.</p>	<p>Check the polynomial identity <math>(x + y)^2 = x^2 + 2xy + y^2</math> using <math>x = 6</math> and <math>y = 3</math></p>
<p><b>A.APR.D.6.</b> Rewrite simple rational expressions in different forms; write <math>a(x)/b(x)</math> in the form <math>q(x) + r(x)/b(x)</math>, where <math>a(x)</math>, <math>b(x)</math>, <math>q(x)</math>, and <math>r(x)</math> are polynomials with the degree of <math>r(x)</math> less than the degree of <math>b(x)</math>, using inspection, long division, or, for the more complicated examples, a computer algebra system.</p>	1	<p>Concepts:</p> <ul style="list-style-type: none"> <li>Rational expressions can be written in different forms.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>write <math>a(x)/b(x)</math> in the form <math>q(x) + r(x)/b(x)</math>, where <math>a(x)</math>, <math>b(x)</math>, <math>q(x)</math>, and <math>r(x)</math> are polynomials with the degree of <math>r(x)</math> less than the degree of <math>b(x)</math>.</li> <li>use inspection, factoring and long division to rewrite rational expressions.</li> <li>use technology to rewrite rational expressions for more complicated cases.</li> </ul> <p>Learning Goal 5: Rewrite simple rational expressions in different forms using inspection, long division, or, for the more complicated examples, a computer algebra system.</p>	<p>1) Using long division, simplify <math>12x^2 + 11x - 5</math></p> $\frac{3x - 1}{2x + 1}$ <p>2) You are rolling out the crust for a rectangular deep dish pizza. The area of the pie is <math>6x^2 + x - 1</math> and the length is <math>2x + 1</math>. How wide should the crust be?</p>
<p><b>A.REI.A.2.</b> Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.</p> <p><b>A.REI.A.1.</b> Explain each step in</p>	2, 3, 4, 6	<p>Concepts:</p> <ul style="list-style-type: none"> <li>Inverse relationships exist between roots and powers.</li> <li>Extraneous solutions do not result in true statements.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>use the inverse relationship between roots and powers when solving radical equations.</li> <li>identify any extraneous solutions.</li> </ul>	<p>1) Error Analysis. A student said that 4 and 1 are the solutions of the following radical equation. Describe and correct the student's error. <math>\sqrt{x + 2} = x</math></p> <p>2) Write a simplified expression for the area</p>

<p>solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.</p> <p><b>A.CED.A.1</b> Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</p>		<ul style="list-style-type: none"> <li>· solve simple rational equations in one variable (degree of numerators and denominator is not greater than 2).</li> <li>· write simple rational equations in one variable and use the rational equation to solve problems.</li> </ul> <p>Learning Goal 6: Solve simple rational and radical equations in one variable, use them to solve problems and show how extraneous solutions may arise. Create simple rational equations in one variable and use them to solve problems.</p>	<p style="text-align: right;"><math>\frac{3a + 9}{4a + 4}</math></p> <p>of the rectangle whose length is <math>\frac{3a + 9}{4a + 4}</math> and width is <math>a + 3</math>. State all restrictions on a.</p> <p>3) Open-Ended. Explain how factoring is used when adding or subtracting rational expressions. Include an example in your explanation.</p>
<p><b>F.IF.B.4.</b> For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</p> <p><b>F.IF.B.6.</b> Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.</p>	1, 4, 5, 6, 7	<p>Concepts:</p> <ul style="list-style-type: none"> <li>· A radical function is any function that contains a variable inside a root.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· interpret key features of radical functions from graphs and tables in the context of the problem.</li> <li>· sketch graphs of radical functions given a verbal description of the relationship between the quantities.</li> <li>· identify intercepts and intervals where function is increasing/decreasing.</li> <li>· determine the practical domain of a radical function.</li> <li>· determine key features including intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maxima and minima; symmetries; end behavior.</li> </ul> <p>Learning Goal 7: For radical functions, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship.</p>	<p>1) A sprinkler can water between 1 and 130 square yards of a lawn. The length <math>L</math> in inches of rotating pipe needed to water <math>A</math> square yards is given by the function <math>L = 117.75\sqrt{A}</math>.</p> <p>a. Graph the equation on your calculator. Make a sketch of the graph.</p> <p>b. How much area can be watered if the length of the pipe is 500, 800, or 1,300 inches long?</p> <p>2) Graph <math>y = \sqrt{-x}</math>, <math>y = \sqrt{1 - x}</math> and <math>y = \sqrt{2 - x}</math>.</p> <p>How does the graph of <math>y = \sqrt{h - x}</math> differ from the graph of <math>y = \sqrt{x - h}</math>?</p>
<p><b>F.IF.C.7.</b> Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.</p>	1, 5	<p>Concepts:</p> <ul style="list-style-type: none"> <li>· Logarithmic functions</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· graph logarithmic functions having base 2, 10 or e, using technology for more complicated cases.</li> <li>· show intercepts and end behavior of logarithmic functions.</li> </ul>	<p>The population of a certain animal species decreases at a rate of 3.5% per year. You have counted 80 of the animals in the habitat you are studying.</p> <p>a. Write a function that models the</p>

F.IF.C.7e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.		Learning Goal 9: Graph logarithmic functions expressed symbolically and show key features of the graph (including intercepts and end behavior).	change in the animal population. b. Graph the function. Estimate the number of years until the population first drops below 15 animals.
<p><b>A.REI.D.11.</b> Explain why the <math>x</math>-coordinates of the points where the graphs of the equations <math>y = f(x)</math> and <math>y = g(x)</math> intersect are the solutions of the equation <math>f(x) = g(x)</math>; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where <math>f(x)</math> and/or <math>g(x)</math> are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.*</p>	1, 5	<p>Concepts:</p> <ul style="list-style-type: none"> <li>Solutions to complex systems of nonlinear functions can be approximated graphically</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>find the solution to <math>f(x)=g(x)</math> approximately, e.g., using technology to graph the functions; include cases where <math>f(x)</math> and/or <math>g(x)</math> are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.</li> <li>find the solution to <math>f(x)=g(x)</math> approximately, e.g., using technology to make tables of values, or find successive approximations; include cases where <math>f(x)</math> and/or <math>g(x)</math> are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.</li> </ul> <p>Learning Goal 10: Find approximate solutions for <math>f(x)=g(x)</math>, using technology to graph, make tables of values, or find successive approximations. Include cases where <math>f(x)</math> and/or <math>g(x)</math> are linear, polynomial, rational, absolute value, logarithmic and exponential functions.</p>	<p>Use a graphing calculator, or graphing software, to approximate the solutions to the following systems:</p> <p>a. <math display="block">f(x) = \begin{cases} x^2 - y = 0 \\ x + y = 2 \end{cases}</math></p> <p>b. <math display="block">f(x) = \begin{cases} y =  x  \\ y = x^2 \end{cases}</math></p> <p>c. <math display="block">f(x) = \begin{cases} y = \log(x + 5) \\ y = x^2 \end{cases}</math></p>

## Unit 2 Vocabulary

Polynomial, monomial, binomial, trinomial, factor, remainder, multiply, divide, divisor, dividend, quotient, length, width, perimeter, area, factor theorem, multiple zero, multiplicity, relative maximum,	monomial, degree of a polynomial, polynomial function, standard form of a polynomial, turning point, end behavior	relative minimum, polynomial identity, difference of two squares, sum and difference of two cubes, radical equation, square root equation, rational expression, simplest form, complex fraction, radical functions, square root functions
---	---	---

**Suggested Activities/Modifications**

Below is a list of suggested activities, modifications, accommodations, and enrichment opportunities. This includes, but is not limited to,:

## 1. Activities

- a. See Unit 2 *Suggested Open Educational Resources*

- b. Two quizzes/Two Tests
  - c. Desmos <https://teacher.desmos.com/functions>
  - d. Open Middle Problems <http://www.openmiddle.com/>
2. English Language Learners.
- a. Read written instructions
  - b. Students may be provided with note organizers/study guides to reinforce key topics.
  - c. Model and provide examples
  - d. Extended time on assessments when needed.
  - e. Establish a non-verbal cue to redirect student when not on task.
  - f. Students may use a bilingual dictionary.
  - g. Pair Visual Prompts with Verbal Presentations
  - h. Highlight Key Words & Formulas
3. Special Education/504 Students.
- a. Students may be provided with note organizers / study guides to reinforce key topics.
  - b. Extended time on assessments when needed.
  - c. Preferred seating to be determined by student and teacher.
  - d. Provide modified assessments when necessary.
  - e. Student may complete assessments in alternate setting when requested.
  - f. Establish a non-verbal cue to redirect student when not on task.
  - g. Maintain strong teacher / parent communication.
  - h. Repetition and practice
  - i. Pair Visual Prompts with Verbal Presentations
  - j. Provide Formulas
  - k. Check Use of Agenda
4. Gifted and Talented Students.
- e. Use of Higher Level Questioning Techniques
  - f. Extension/Challenge Questions
  - g. Provide Assessments at a Higher Level of Thinking
  - h. Desmos Modeling Activities - <https://teacher.desmos.com/modeling>
  - i. Desmos Functions Activities - <https://teacher.desmos.com/functions>

**New Jersey Student Learning Standards - Technology**

8.1.8.A.5 - Select and use appropriate tools and digital resources to accomplish a variety of tasks and to solve problems.

Technology (TI-83 graphing calculators, Geogebra, Mathematica software, and various web applets) will be used extensively to find solutions to equations that are too complex to be solved by hand.

• <http://www.geogebra.org>

The above website allows students to graph equations, find points of intersection, and perform numerous other algebraic and geometric manipulations.

• <http://www.wolframalpha.com/>

The above website will solve any equation entered, provide a graphic interpretation of the solution, and perform many other mathematical tasks.

### **Career Readiness Practices**

CRP1. Act as a responsible and contributing citizen and employee.

CRP2. Apply appropriate academic and technical skills.

CRP4. Communicate clearly and effectively and with reason.

CRP6. Demonstrate creativity and innovation.

CRP8. Utilize critical thinking to make sense of problems and persevere in solving them.

CRP9. Model integrity, ethical leadership and effective management.

CRP11. Use technology to enhance productivity.

### **9.2 Career Awareness, Exploration, and Preparation Content Area: 21<sup>st</sup> Century Life and Careers Strand C: Career Preparation**

9.2.8.B.3 Evaluate communication, collaboration, and leadership skills that can be developed through school, home, work, and extracurricular activities for use in a career.

9.2.8.B.7 Evaluate the impact of online activities and social media on employer decisions.

### **Career & Technical Education Content Area: 21<sup>st</sup> Century Life and Careers Standards**

9.3.ST.2 Use technology to acquire, manipulate, analyze and report data.

9.3.ST-SM.4 Apply critical thinking skills to review information, explain statistical analysis, and to translate, interpret and summarize research and statistical data.








9.3.ST-SM.3 Analyze the impact that science and mathematics has on society.

**Media Literacy:** Students will be asked to use resources online and in other textbooks and publications to find alternative ways to solve equations. Students will be asked to analyze these resources in terms of their usefulness and ease. These resources can be compiled into an online catalogue for future classes to use and add to.

**Global Perspectives:** Real data that describes different nations' economies and populations will be used as examples of linear growth, exponential growth, exponential decay, and periodic functions

## Unit 3

Unit 3 Algebra 2			
Content & Practice Standards	SMP	Critical Knowledge & Skills	Standard Mastery Examples
			Can be used on formative, summative, benchmark, and alternative assessments.
<p><b>F.TF.A.1.</b> Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.</p> <p><b>F.TF.A.2.</b> Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.</p>	3, 6	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Radian measure of an angle as the length of the arc on the unit circle that is subtended by the angle</li> <li>· Relationship between degrees and radians</li> </ul> <p><b>Students are able to:</b></p> <ul style="list-style-type: none"> <li>· find the measure of the angle given the length of the arc.</li> <li>· find the length of an arc given the measure of the central angle.</li> <li>· convert between radians and degrees.</li> <li>· use the unit circle to evaluate sine, cosine and tangent of standard reference angles.</li> </ul> <p><b>Goals:</b> Use the radian measure of an angle to find the length of the arc in the unit circle subtended by the angle and find the measure of the angle given the length of the arc.</p> <p>Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.</p>	<p><b>When an object travels on a circular path, its angular velocity, <math>\omega</math>, is the rate at which <math>\Theta</math> changes. Angular velocity is defined by the equation, where <math>\Theta</math> is usually expressed in radians and <math>t</math> represents times. Find the angular velocity in radians per second of a point on a bicycle tire if it completes two revolutions in 3 seconds. Earth rotates on its axis once every 24 hours.</b></p> <p><b>a. How long does it take Earth to rotate through an angle of <math>300^\circ</math>?</b></p> <p><b>b. How long does it take Earth to rotate through an angle of radians?</b></p>

<p><b>F.IF.C.7.</b> Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.</p> <p><b>F.IF.C.7e.</b> Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.</p>	<p>1,4,5,6,7</p>	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>Relationship between the unit circle in the coordinate plane and graph of trigonometric functions.</li> </ul> <p><b>Students are able to:</b></p> <ul style="list-style-type: none"> <li>graph trigonometric functions, showing period, midline, and amplitude.</li> </ul> <p><b>Goal:</b> Graph trigonometric functions expressed symbolically, showing key features of the graph, by hand in simple cases and using technology for more complicated cases.</p>	<p><b>Example 1:</b> For each function, identify one cycle in two different ways. Then determine the period of the function.</p> <p>a. </p> <p>b. </p> <p><b>Example 2:</b> Determine whether each function is or is not periodic. If it is, find the period.</p> <p>a. </p> <p>b. </p> <p><b>Example 3:</b> Find the amplitude of each function.</p> <p>a. </p> <p>b. </p>
<p><b>F.TF.B.5</b> Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.</p>	<p>4</p>	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>Periodic functions may model real-world scenarios.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>use characteristics of real world phenomena to select a trigonometric model.</li> <li>identify amplitude, frequency and midline appropriate for the model.</li> </ul> <p><b>Goal :</b> Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.</p>	<p><b>2. <math>y = 4 \sin \pi x</math></b></p> <p><b>Period:</b> _____</p> <p><b>Amplitude:</b> _____</p> <p><b>Reflection:</b> _____</p> <p><b>Phase Shift:</b> _____</p> <p><b>Vertical Shift:</b> _____</p> <p><b>Transformations:</b></p> 



			<p>Write the equation of a cosine function of the form <math>y = A\cos(Bx - C) + D</math> that has the given characteristics.</p> <p>9. Amplitude: 2</p> <p>Period: <math>\frac{\pi}{3}</math></p> <p>Shift: Down 1 unit</p> <p><b>Ferris Wheel</b></p> <p>1. As you ride the Ferris wheel, your distance from the ground varies sinusoidally with time. You are the last seat filled at the bottom and the Ferris wheel starts immediately. Let <math>t</math> be the number of seconds that have elapsed since the Ferris wheel started. You find that it takes you 4 seconds to reach the top, 43 feet above the ground, and that the wheel makes a revolution once every 8 seconds. The diameter of the wheel is 40 feet.</p> <ol style="list-style-type: none"> <li>1. Sketch a graph</li> <li>2. What is the lowest you go as the Ferris wheel turns, and why is this number greater than zero?</li> <li>3. Write an equation.</li> <li>4. Predict your height above the ground when:             <ol style="list-style-type: none"> <li>i. <math>t=6</math></li> <li>ii. <math>t =</math></li> <li>iii. <math>t =0</math></li> </ol> </li> </ol> <p><b>What is the value of the second time you are 18 feet above the ground?</b></p>
<p><b>F.TF.C.8.</b> Prove the Pythagorean identity <math>\sin^2(\theta) + \cos^2(\theta) = 1</math> and use it to find <math>\sin(\theta)</math>, <math>\cos(\theta)</math>, or <math>\tan(\theta)</math> given <math>\sin(\theta)</math>, <math>\cos(\theta)</math>, or <math>\tan(\theta)</math> and the quadrant of the angle.</p>	<p><b>3,5,7</b></p>	<p><b>Students are able to:</b></p> <ul style="list-style-type: none"> <li>· prove the Pythagorean identity: <math>\sin^2(\theta) + \cos^2(\theta) = 1</math>.</li> <li>· use the Pythagorean identity to find <math>\sin(\theta)</math>, <math>\cos(\theta)</math>, or <math>\tan(\theta)</math> when given <math>\sin(\theta)</math>, <math>\cos(\theta)</math>, or <math>\tan(\theta)</math> and the quadrant of the angle.</li> </ul> <p><b>Goal:</b> Use the Pythagorean identity <math>(\sin \theta)^2 + (\cos \theta)^2 = 1</math> to find <math>\sin \theta</math>, <math>\cos \theta</math>, or <math>\tan \theta</math>, given <math>\sin \theta</math>, <math>\cos \theta</math>, or <math>\tan \theta</math>, and</p>	<p><b>Represent the number 1 using only 2 trigonometric functions.</b></p>

		the quadrant of the angle.	
<p><b>F.BF.B.3.</b> Identify the effect on the graph of replacing <math>f(x)</math> by <math>f(x) + k</math>, <math>k f(x)</math>, <math>f(kx)</math>, and <math>f(x + k)</math> for specific values of <math>k</math> (both positive and negative); find the value of <math>k</math> given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. <i>Include recognizing even and odd functions from their graphs and algebraic expressions for them.</i></p>	<b>3,5,7,8</b>	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Function notation representation of transformations</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· perform transformations on graphs of polynomial, exponential, logarithmic, or trigonometric functions.</li> <li>· identify the effect on the graph of replacing <math>f(x)</math> by <ul style="list-style-type: none"> <li>- <math>f(x) + k</math>;</li> <li>- <math>k f(x)</math>;</li> <li>- <math>f(kx)</math>;</li> </ul> </li> <li>- <i>and</i> <math>f(x + k)</math> for specific values of <math>k</math> (both positive and negative). <ul style="list-style-type: none"> <li>· identify the effect on the graph of combinations of transformations.</li> </ul> </li> <li>· given the graph, find the value of <math>k</math>.</li> <li>· illustrate an explanation of the effects on polynomial, exponential, logarithmic, or trigonometric graphs using technology.</li> </ul> <p><b>Goal :</b> Identify the effect on the graph of a polynomial, exponential, logarithmic, or trigonometric function of replacing <math>f(x)</math> by <math>f(x) + k</math>, <math>k f(x)</math>, <math>f(kx)</math>, and <math>f(x + k)</math> for specific values of <math>k</math> (both positive and negative). Find the value of <math>k</math> given the graphs and identify even and odd functions from graphs and equations.</p>	

<p><b>F.LE.A.4.</b> Understand the inverse relationship between exponents and logarithms. For exponential models, express as a logarithm the solution to <math>ab^{ct} = d</math> where <math>a</math>, <math>c</math>, and <math>d</math> are numbers and the base <math>b</math> is 2, 10, or <math>e</math>; evaluate the logarithm using technology.</p>	2,4	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>Exponents and logarithms have an inverse relationship.</li> <li>Solutions to an exponential equation in one variable can be written as a logarithm.</li> </ul> <p>Students are able to:</p> <p>transform an exponential model represented by <math>ab^{ct} = d</math> where <math>a</math>, <math>c</math>, and <math>d</math> are numbers and the base <math>b</math> is 2, 10, or <math>e</math>.</p> <p>write the solution to <math>ab^{ct} = d</math> as a logarithm.</p> <p>use technology to evaluate logarithms having base 2, 10, or <math>e</math>.</p> <p><b>Goal :</b> Express as a logarithm the solution to <math>ab^{ct} = d</math> where <math>a</math>, <math>c</math>, and <math>d</math> are numbers and the base <math>b</math> is 2, 10, or <math>e</math>; evaluate the logarithm using technology.</p>	
<p><b>A.SSE.B.3.</b> Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression</p> <p><b>A.SSE.B.3c:</b> Use the properties of exponents to transform expressions for exponential functions. <i>For example the expression <math>1.15^t</math> can be rewritten as <math>(1.15^{1/12})^{12t} \approx 1.012^{12t}</math> to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</i></p> <p><b>F.IF.C.8.</b> Write a function defined by an expression in</p>	1, 2, 4, 7	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>Alternate, equivalent forms of an exponential expression containing rational exponents may reveal specific attributes of the function that it defines.</li> </ul> <p><b>Students are able to:</b></p> <ul style="list-style-type: none"> <li>use properties of exponent transform/rewrite an exponential expression for an exponential function.</li> <li>explain the properties of the quantity or the function.</li> </ul> <p><b>Goal :</b> Use the properties of exponents to transform expressions for exponential functions, explain properties of the quantity revealed in the transformed expression or different</p>	<p><b>1) If you invest \$500 in a savings account with a 1.2% annual interest rate, when will the account contain at least \$650?</b></p> <p><b>2) Your friend says that the graph of <math>f(x) = (\frac{3}{4})^{x+2} + 1</math> is a shift of the parent function two units up and one unit left. Describe and correct your friend's error.</b></p> <p><b>3) Graph <math>y = \log_4 x</math>. Describe the domain, range, y-intercept and asymptotes.</b></p>

<p>different but equivalent forms to reveal and explain different properties of the function</p> <p><b>F.IF.C.8b:</b> Use the properties of exponents to interpret expressions for exponential functions. <i>For example, identify percent rate of change in functions such as <math>y = (1.02)^t</math>, <math>y = (0.97)^t</math>, <math>y = (1.01)^{12t}</math>, <math>y = (1.2)^{t/10}</math>, and classify them as representing exponential growth or decay.</i></p>		<p>properties of the function.</p>	
---	--	------------------------------------	--

## Unit 3 Vocabulary

<p>cycle period periodic function phase shift radian sine tangent</p>	<p>asymptote amplitude Change of Base Formula common logarithm exponential equation exponential function cosine</p>	<p>central angle exponential growth logarithm logarithmic equation logarithmic function natural logarithmic function unit circle</p>
---	---	--

**Suggested Activities/Modifications**

Below is a list of suggested activities, modifications, accommodations, and enrichment opportunities. This includes, but is not limited to,:

1. Activities
  - a. See Unit 3 *Suggested Open Educational Resources*
  - b. Two quizzes/Two Tests
  - c. Desmos [www.desmos.com](http://www.desmos.com)

- d. Open Middle Problems <http://www.openmiddle.com/>
- 2. English Language Learners.
  - a. Read written instructions
  - b. Students may be provided with note organizers/study guides to reinforce key topics.
  - c. Model and provide examples
  - d. Extended time on assessments when needed.
  - e. Establish a non-verbal cue to redirect student when not on task.
  - f. Students may use a bilingual dictionary.
  - g. Pair Visual Prompts with Verbal Presentations
  - h. Highlight Key Words & Formulas
- 3. Special Education/504 Students.
  - a. Students may be provided with note organizers / study guides to reinforce key topics.
  - b. Extended time on assessments when needed.
  - c. Preferred seating to be determined by student and teacher.
  - d. Provide modified assessments when necessary.
  - e. Student may complete assessments in alternate setting when requested.
  - f. Establish a non-verbal cue to redirect student when not on task.
  - g. Maintain strong teacher / parent communication.
  - h. Repetition and practice
  - i. Pair Visual Prompts with Verbal Presentations
  - j. Provide Formulas
  - k. Check Use of Agenda
- 4. Gifted and Talented Students.
  - j. Use of Higher Level Questioning Techniques
  - k. Extension/Challenge Questions
  - l. Provide Assessments at a Higher Level of Thinking
  - m. Desmos Conic Activities - <https://teacher.desmos.com/conics>

### **New Jersey Student Learning Standards - Technology**

8.1.8.A.5 - Select and use appropriate tools and digital resources to accomplish a variety of tasks and to solve problems.

Technology (TI-83 graphing calculators, Geogebra, Mathematica software, and various web applets) will be used extensively to graph and analyze functions that cannot be easily graphed by hand, or that do not have a parent function discussed in the course.

<http://www.ies.co.jp/math/products/trig/applets/sixtrigfn/sixtrigfn.html>

The above website shows the relationship between the unit circle and the numeric values of the six trigonometric functions at different angles.  
<http://illuminations.nctm.org/ActivityDetail.aspx?ID=174>

The above website allows students to explore transformations of trigonometric functions by changing the equation's parameters.

**Career Readiness Practices**

- CRP1. Act as a responsible and contributing citizen and employee.
- CRP2. Apply appropriate academic and technical skills.
- CRP4. Communicate clearly and effectively and with reason.
- CRP6. Demonstrate creativity and innovation.
- CRP8. Utilize critical thinking to make sense of problems and persevere in solving them.
- CRP9. Model integrity, ethical leadership and effective management.
- CRP11. Use technology to enhance productivity.

**9.2 Career Awareness, Exploration, and Preparation Content Area: 21<sup>st</sup> Century Life and Careers Strand C: Career Preparation**

- 9.2.8.B.3 Evaluate communication, collaboration, and leadership skills that can be developed through school, home, work, and extracurricular activities for use in a career.
- 9.2.8.B.4 Evaluate how traditional and nontraditional careers have evolved regionally, nationally, and globally.
- 9.2.8.B.7 Evaluate the impact of online activities and social media on employer decisions.

**Career & Technical Education Content Area: 21<sup>st</sup> Century Life and Careers Standards**

- 9.3.ST.2 Use technology to acquire, manipulate, analyze and report data.
- 9.3.ST-SM.4 Apply critical thinking skills to review information, explain statistical analysis, and to translate, interpret and summarize research and statistical data.
- 9.3.ST-SM.3 Analyze the impact that science and mathematics has on society.

**Interdisciplinary Connections:** Students will be writing and analyzing functions that are mathematical models for scenarios in the social sciences, physics, biology, and economics. Growth and decay in biology and finance will be emphasized.

**Media Literacy:** Students will be asked to find examples in the media of exponential growth and decay. Students will be expected to find websites, newspaper articles, video clips, and other acceptable media that discuss a real-world phenomenon or current event that is an example of exponential behavior.

**Global Perspectives:** Real data that describes different nations' economies and populations will be used as examples of linear growth, exponential growth, exponential decay, and periodic functions.

## Unit 4

Unit 4 Algebra 2			
Content & Practice Standards	SMP	Critical Knowledge & Skills	Standard Mastery Examples
			Can be used on formative, summative, benchmark, and alternative assessments.
<p><b>S.ID.A.4.</b> Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve.</p>	2,4	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Mean and standard deviation are used to fit in a normal distribution</li> <li>· Population percentages may be estimated when the data are approximately normally distributed.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· identify data sets as approximately normally distributed or not.</li> <li>· explain the 68-95-99.7 rule for normal distributions (approximately 68% of the area under a normal distribution curve is within one standard deviation, approximately 95% of the area under a normal distribution curve is within two standard deviations, etc).</li> <li>· use the mean and standard deviation of a normal distribution to estimate population percentages.</li> <li>· use calculators, spreadsheets, and tables to estimate areas under the normal curve and interpret in context.</li> </ul> <p><b>Goal:</b> Use the mean and standard deviation of a data set to fit it to a normal distribution, estimate population percentages, and recognize that there are data sets for which such a procedure is not appropriate (use calculators, spreadsheets, and tables to estimate areas under the normal curve).</p>	<p><b>Identify data sets as approximately normally distributed or not.</b></p>

<p><b>S.IC.A.1.</b> Understand statistics as a process for making inferences about population parameters based on a random sample from that population.</p>	2,4	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Statistics is a process for making inferences about a population based on analysis of a random sample from the population.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· identify and evaluate random sampling methods.</li> <li>· explain the importance of randomness to sampling and inference making.</li> <li>· explain the difference between values that describe a population and a sample, in context.</li> </ul> <p><b>Goal:</b> Identify and evaluate random sampling methods.</p>	<p><b>1. Analyzing Sampling Methods:</b></p> <p><b>Public Opinion -</b> A newspaper wants to find out what percent of a city population favors a property tax increase to raise money for local parks. What is the sampling method used for each situation? Does the sample have a bias? Explain.</p> <p>a) A newspaper article on the tax increase invites readers to call the paper and express their opinions</p> <p>b) A reporter interviews people leaving the city's largest park</p> <p>c) A survey service calls every 50<sup>th</sup> listing from the local phone book</p> <p><b>2. Identify the sampling method then identify any bias in each method:</b></p> <p>a) A supermarket wants to find the percent of shoppers who use coupons. A manager interviews every shopper entering the greeting card aisle.</p> <p>b) A maintenance crew wants to estimate how many of 3,000 air filters in an office building need replacing. The crew examines five filters chosen at random on each floor of the building.</p> <p>c) A student government wants to find out how many students have after-school jobs. A pollster interviews students selected at random as they board busses at the end of the school day.</p>
---	-----	---	---



<p><b>S.IC.A.2.</b> Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. <i>For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?</i></p>	2,4	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Random processes can be described mathematically by using a model: a list or description of possible outcomes.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· determine whether a given model is consistent with results from an experiment.</li> <li>· know the difference between experimental and theoretical modeling.</li> <li>· know how far predictions can be projected based on sample size.</li> <li>· design simulations of random sampling.</li> </ul> <p><b>Goal:</b> Determine if the outcomes and properties of a specified model are consistent with results from a given data-generating process (e.g. using simulation).</p>	<p><b>A model says a spinning coin lands heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?</b></p>
<p><b>S.IC.B.3.</b> Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each.</p>	4	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Collecting data from a random sample of a population makes it possible to draw conclusions about the whole population.</li> <li>· Randomly assigning individuals to different treatments allows a fair comparison of the effectiveness of those treatments.</li> <li>· Sample surveys, experiments, and observational studies serve different statistical purposes allowing for different statistical analyses.</li> </ul> <p><b>Students are able to:</b></p> <ul style="list-style-type: none"> <li>· distinguish between sample surveys, experiments, and observational studies.</li> <li>· explain the importance of randomization in each of these processes.</li> <li>· identify voluntary response samples and convenience samples.</li> </ul>	<p><b>1. Suppose you are conducting a survey about careers, write a survey question using each of the following biases:</b></p> <ol style="list-style-type: none"> <li>a) leads people to a particular response</li> <li>b) does not provide enough information</li> <li>c) combines two or more issues</li> <li>d) is too wordy or confusing</li> </ol> <p><b>2. a) Data Collection: Write a survey question to find out the number of students at your school who plan to continue their education after high school</b></p> <ol style="list-style-type: none"> <li>b) Describe the sampling method you would use</li> </ol> <p><b>c) Conduct your survey</b></p>

		<ul style="list-style-type: none"> <li>describe simple random samples, stratified random samples, and cluster samples.</li> <li>explain how undercoverage, nonresponse, and question wording can lead to bias in a sample survey.</li> </ul> <p><b>Goal:</b> Identify the differences among and purposes of sample surveys, experiments, and observational studies, explaining how randomization relates to each.</p>	
<b>S.IC.B.4.</b> Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling	<b>1,2,4,5,6</b>	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>Appropriately drawn samples of a population may be used to estimate a population mean or population proportion.</li> <li>Relationship between margin of error, variation with a data set, and variability in the population</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>conduct simulations of random sampling to gather samples.</li> <li>estimate population means with sample means.</li> <li>estimate population proportions with sample proportions.</li> <li>calculate margins of error for the estimates.</li> <li>explain how the results relate to variability in the population.</li> </ul> <p><b>Goal:</b> Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.</p>	<p><b>1. Explain the differences between measures of central tendency and measures of variation.</b></p> <p><b>2. Compare &amp; Contrast: Three data sets each have a mean of 70. Set A has a standard deviation of 10. Set B has a standard deviation of 5. Set C has a standard deviation of 20. Compare and contrast these three sets.</b></p> <p><b>3. Approximate the margin of error for the sample. In 2007, the US Mint began issuing \$1 coins featuring images of the nation's presidents. In a survey, 76% of 2431 US adults opposed using \$1 coins.</b></p>
<b>S.IC.B.5.</b> Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant	<b>1,2,4,5,6</b>	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>A statistically significant outcome is one that is unlikely to be due to chance alone.</li> </ul> <p><b>Students are able to:</b></p>	<p><b>1. Sam Sleep researcher hypothesizes that people who are allowed to sleep for only four hours will score significantly lower than people who are allowed to sleep for eight hours on a cognitive skills test. He brings sixteen participants into his sleep lab and randomly assigns them to one of two groups. In one group he has participants</b></p>

<p><b>S.IC.B.6.</b> Evaluate reports based on data.</p>		<ul style="list-style-type: none"> <li>· conduct a t-test to evaluate the effectiveness and differences in two treatments.</li> <li>· use simulations to generate data simulating applying two treatments.</li> <li>· use the results of simulations to determine if the differences are significant.</li> <li>· read and explain, in the context of the situation, data from outside reports – discussing experimental study design, drawing conclusions from graphical and numerical summaries, and identifying characteristics of the experimental design.</li> </ul> <p><b>Goal:</b> Use data from a randomized experiment to compare two treatments and use simulations to decide if differences between parameters are significant; evaluate reports based on data.</p>	<p><b>sleep for eight hours and in the other group he has them sleep for four. The next morning he administers the SCAT (Sam's Cognitive Ability Test) to all participants. (Scores on the SCAT range from 1-9 with high scores representing better performance).</b></p> <table border="1" data-bbox="1377 277 1940 540"> <thead> <tr> <th colspan="9">SCAT Scores</th> </tr> </thead> <tbody> <tr> <td><b>8 hours</b></td> <td>5</td> <td>7</td> <td>5</td> <td>3</td> <td>5</td> <td>3</td> <td>3</td> <td>9</td> </tr> <tr> <td><b>4 hours</b></td> <td>8</td> <td>1</td> <td>4</td> <td>6</td> <td>6</td> <td>4</td> <td>1</td> <td>2</td> </tr> </tbody> </table>	SCAT Scores									<b>8 hours</b>	5	7	5	3	5	3	3	9	<b>4 hours</b>	8	1	4	6	6	4	1	2
SCAT Scores																														
<b>8 hours</b>	5	7	5	3	5	3	3	9																						
<b>4 hours</b>	8	1	4	6	6	4	1	2																						
<p><b>S.CP.A.1.</b> Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events (“or,” “and,” “not”)</p>	<p><b>1,2,4,5,6</b></p>	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Events are described as subsets of a sample space.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· identify a sample space, recognizing it as the set of all possible outcomes.</li> <li>· identify and describe subsets of a sample space as events.</li> <li>· describe unions, intersections and complements of events.</li> <li>· visualize unions, intersections and complements of events with Venn diagrams.</li> </ul> <p><b>Goal:</b> Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events (“or,” “and,” ”not”).</p>	<p><b>A multiple choice test has four choices for each answer. Suppose you make a random guess on three of the ten test questions. What is the probability you will answer all three correctly?</b></p> <p><b>Two standard number cubes are rolled. What is the probability that the sum is greater than 9 or less than 6?</b></p>																											
<p><b>S.CP.A.2.</b> Understand that two events <i>A</i> and <i>B</i> are independent if</p>	<p><b>1,2,4,5,6</b></p>	<p><b>Concepts:</b></p>	<p><i>After collecting data from students on their favorite subject, estimate the probability a student will favor science GIVEN</i></p>																											

<p>the probability of <math>A</math> and <math>B</math> occurring together is the product of their probabilities, and use this characterization to determine if they are independent.</p> <p><b>S.CP.A.3.</b> Understand the conditional probability of <math>A</math> given <math>B</math> as <math>P(A \text{ and } B)/P(B)</math>, and interpret independence of <math>A</math> and <math>B</math> as saying that the conditional probability of <math>A</math> given <math>B</math> is the same as the probability of <math>A</math>, and the conditional probability of <math>B</math> given <math>A</math> is the same as the probability of <math>B</math>.</p> <p><b>S.CP.A.4.</b> Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. <i>For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.</i></p> <p><b>S.CP.A.5.</b> Recognize and explain the NEW Concepts of conditional</p>	<ul style="list-style-type: none"> <li>· Two events <math>A</math> and <math>B</math> are independent if the probability of <math>A</math> and <math>B</math> occurring together is the product of their probabilities.</li> <li>· Independence of event <math>A</math> and event <math>B</math> means that the conditional probability of <math>A</math> given <math>B</math> is the same as the probability of, and the conditional probability of <math>B</math> given <math>A</math> is the same as the probability of <math>B</math>.</li> </ul> <p><b>Students are able to:</b></p> <ul style="list-style-type: none"> <li>· identify events as independent or dependent.</li> <li>· interpret the conditional probability of <math>A</math> given <math>B</math> as answering the question ‘now that <math>B</math> has occurred, what is the probability that event <math>A</math> will occur?’.</li> <li>· determine the conditional probability of <math>A</math> given <math>B</math> using <math>P(A \text{ and } B)/P(B)</math>.</li> <li>· represent conditional probability of <math>A</math> given <math>B</math> as <math>P(A B)</math>.</li> <li>· calculate conditional probabilities.</li> <li>· construct two-way frequency tables for two categorical variables.</li> <li>· calculate probabilities from the two-way frequency table.</li> <li>· use the probabilities to assess independence of two variables.</li> </ul> <p><b>Goal:</b> Use two-way frequency tables to determine if events are independent and to calculate conditional probability. Use everyday language to explain independence and conditional probability in real-world situations.</p>	<p><i>they are in the tenth grade.</i></p> <p><i>Compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.</i></p>
--	--	--

<p>probability and independence in everyday language and everyday situations. <i>For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.</i></p>			
<p><b>S.CP.B.6.</b> Find the conditional probability of <math>A</math> given <math>B</math> as the fraction of <math>B</math>'s outcomes that also belong to <math>A</math>, and interpret the answer in terms of the model.</p> <p><b>S.CP.B.7.</b> Apply the Addition Rule, <math>P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)</math>, and interpret the answer in terms of the model.</p>	<p><b>1,2,4,5,6</b></p>	<p><b>Concepts:</b></p> <ul style="list-style-type: none"> <li>· Mutually exclusive events exist.</li> </ul> <p>Students are able to:</p> <ul style="list-style-type: none"> <li>· analyze event <math>B</math>'s outcomes to determine the proportion of <math>B</math>'s outcomes that also belong to event <math>A</math>.</li> <li>· interpret this proportion as conditional probability of <math>A</math> given <math>B</math>.</li> <li>· identify two events as mutually exclusive (disjoint).</li> <li>· calculate probabilities using the Addition rule <math>P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)</math>.</li> </ul> <p><b>Goal:</b> Find the conditional probability of <math>A</math> given <math>B</math> as the fraction of <math>B</math>'s outcomes that also belong to <math>A</math> and apply the Addition Rule [<math>P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)</math>].</p>	<p><b>Determine the probability of the Yankees and Mets both winning on a day they are both playing other teams.</b></p>

Unit 4 Vocabulary	
<p>theoretical probability                      combination                      conditional probability                      experimental probability                      measure of central tendency                      mutually exclusive events                      normal distribution                      permutation                      simulation</p>	<p>sample                      survey                      standard deviance                      variance                      determinant                      dilation                      equal matrices                      matrix equation                      scalar multiplication</p>

**Suggested Activities/Modifications**

Below is a list of suggested activities, modifications, accommodations, and enrichment opportunities. This includes, but is not limited to,:

1. Activities
  - a. See Unit 4 *Suggested Open Educational Resources*
  - b. Two quizzes/Two Tests
  - c. Students will investigate the effect of outliers on a set of data. Students will take a set of data that is approximately “normally distributed” and create a histogram and numeric summary. Then, students will add a single extreme outlier, and repeat the computations. Students should present their results using a poster or Microsoft Powerpoint.
  - d. Open Middle Problems <http://www.openmiddle.com/>
2. English Language Learners.
  - a. Read written instructions
  - b. Students may be provided with note organizers/study guides to reinforce key topics.
  - c. Model and provide examples
  - d. Extended time on assessments when needed.
  - e. Establish a non-verbal cue to redirect student when not on task.
  - f. Students may use a bilingual dictionary.
  - g. Pair Visual Prompts with Verbal Presentations
  - h. Highlight Key Words & Formulas
3. Special Education/504 Students.
  - a. Students may be provided with note organizers / study guides to reinforce key topics.
  - b. Extended time on assessments when needed.
  - c. Preferred seating to be determined by student and teacher.
  - d. Provide modified assessments when necessary.
  - e. Student may complete assessments in alternate setting when requested.
  - f. Establish a non-verbal cue to redirect student when not on task.
  - g. Maintain strong teacher / parent communication.
  - h. Repetition and practice
  - i. Pair Visual Prompts with Verbal Presentations

- j. Provide Formulas
- k. Check Use of Agenda
- 4. Gifted and Talented Students.
  - n. Use of Higher Level Questioning Techniques
  - o. Extension/Challenge Questions
  - p. Provide Assessments at a Higher Level of Thinking
  - q. Desmos Modeling Activities - <https://teacher.desmos.com/modeling>

**New Jersey Student Learning Standards - Technology**

8.1.8.A.5 - Select and use appropriate tools and digital resources to accomplish a variety of tasks and to solve problems.

- Students will be encouraged to use calculators and other technology to validate solutions found using “pencil and paper”, particularly when manipulating expressions with rational exponents.

<http://www.keypress.com/x5656.xml>

Students can use Fathom software to easily generate graphs and numeric summaries of data.

<http://www.stat.tamu.edu/~west/ph/meanmedian.html>

The applet above demonstrates the effect that outliers can have on the mean and median. Students can use their own data and observe the results of modifying a single element.

**Career Readiness Practices**

- CRP1. Act as a responsible and contributing citizen and employee.
- CRP2. Apply appropriate academic and technical skills.
- CRP4. Communicate clearly and effectively and with reason.
- CRP6. Demonstrate creativity and innovation.
- CRP8. Utilize critical thinking to make sense of problems and persevere in solving them.
- CRP9. Model integrity, ethical leadership and effective management.
- CRP11. Use technology to enhance productivity.

**9.2 Career Awareness, Exploration, and Preparation Content Area: 21<sup>st</sup> Century Life and Careers Strand C: Career Preparation**

- 9.2.8.B.3 Evaluate communication, collaboration, and leadership skills that can be developed through school, home, work, and extracurricular activities for use in a career.
- 9.2.8.B.4 Evaluate how traditional and nontraditional careers have evolved regionally, nationally, and globally.

9.2.8.B.7 Evaluate the impact of online activities and social media on employer decisions.

Career & Technical Education Content Area: 21<sup>st</sup> Century Life and Careers Standards

9.3.ST.2 Use technology to acquire, manipulate, analyze and report data.

9.3.ST-SM.4 Apply critical thinking skills to review information, explain statistical analysis, and to translate, interpret and summarize research and statistical data.

9.3.ST-SM.3 Analyze the impact that science and mathematics has on society.

**Interdisciplinary Connections:** Students will explore how data and probability can be used to make decisions and predictions in the social and physical sciences.

**Media Literacy:** Students will be asked to scour media sources for examples of statistics in the news. Students will be encouraged to examine these studies for potential biases. Through this activity, the unit can be extended to briefly discuss sampling techniques.

**Global Perspectives:** Real data that compares the growth rates of different nations' economies and populations will be used to motivate statistics topics.



### III. Additional Differentiation/Modifications for Teaching

Research-Based Effective Teaching Strategies	Additional Modifications for G&T	Additional Strategies for Special Education	Additional Strategies for English Language Learners
<p>Questioning techniques to facilitate learning</p> <ul style="list-style-type: none"> <li>• See also <b>Five Practices for Orchestrating Math Discussion</b></li> </ul> <p>Math Discourse</p> <ul style="list-style-type: none"> <li>• Talk Moves</li> </ul> <p>Constructivist learning opportunities</p> <ul style="list-style-type: none"> <li>• Piaget, Vygotsky, Bruner</li> </ul> <p>Multiple Representations</p> <p>Promote linguistic and nonlinguistic representations</p> <p>Various types of feedback</p> <ul style="list-style-type: none"> <li>• Student to student feedback</li> <li>• Teacher to student feedback</li> </ul> <p>Varied opportunities for students to communicate mathematically (orally, writing)</p> <p>Use technological and /or physical tools (manipulatives)</p>	<p>See Agile Mind Algebra II Advice for Instruction for Classroom Differentiation for Gifted Students.</p>	<p>See Agile Mind Algebra II Advice for Instruction for Classroom Differentiation for information on Special Need Students.</p>	<p><b>Extension:</b> See Agile Mind Algebra II Advice for Instruction for Scaffolding Instruction for English Language Learners.</p> <p><b>ELD Standard</b>  <b>Standard 3 - Language of Mathematics</b>  English language learners communicate information, ideas and concepts necessary for academic success in the content area of mathematics.</p>

#### IV. Instructional Resources and Materials

Formative Assessment	Summative Assessment	Supplemental Resources		Print Resource
Short constructed responses Extended constructed responses Teacher Observation Checks for understanding Do Now Exit Tickets Staying Sharp (Agile Mind) <b>Extension</b> – See additional performance tasks in the <b>Unit Standards Overview</b> .	End-of-Unit Assessment (Agile Mind) Mid-Unit Assessment (Agile Mind)	<u><b>Teacher Resources</b></u> Annenberg Learning Mathematics Assessment Projects Achieve the Core Mathplanet.com Interactive Mathematics.com Illustrative Mathematics Inside Mathematics.org EdConnect.org Desmos Khan Academy	<u><b>Student Resources</b></u> Student Activity Book (Agile Mind) Khan Academy Edconnect Math is Fun (website) Virtual Nerd	Agile Mind – Algebra II

## Algebra 2 Scope and Sequence

Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	March	April	May	June
<p>Arithmetic and Geometric Sequences and Series (10 days)</p> <p>Inverse Relations (5 days)</p> <p>Transforming Functions (10 days)</p>	<p>Transforming Functions (cont.)</p> <p>Introduction to Polynomial Functions (10 days)</p> <p>Analyzing Polynomial Functions (10 days)</p>	<p>Polynomial Equations (5 days)</p> <p>Exponents and Radicals (10 days)</p> <p>Modeling with Inverse and Joint Variation (10 days)</p>	<p>Modeling with Inverse and Joint Variation (cont.)</p> <p>Rational Expressions and Functions (10 days)</p>	<p>Square Root Functions and Equations (10 days)</p> <p>Quadratic and Square Root Inequalities (10 days)</p> <p>Exponential Functions (5 days)</p>	<p>Logarithmic Functions (10 days)</p> <p>Using Logs to solve equations and inequalities (10 days)</p>	<p>Equations with more than 2 unknowns (10 days)</p> <p>Matrices (10 days)</p>	<p>Probability concepts (10 days)</p> <p>Conditional Probability and independence (10 days)</p>	<p>Design and Data Collection (10 days)</p> <p>Trig Functions (10 days)</p>	<p>Modeling Data (10 days)</p>